


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-  
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-1,5,6,15,16,18-  
 hexahydro-6,11,15,22-tetramethyl-18,20-dioxo-, propyl ester,  
 (5R,6R,15S,16S) - (9CI)  
 MF C36 H40 N4 O6

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):47

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 21H,23H-Porphine-7-propanoic acid, 3-[[[(cyclohexylamino)(cyclohexylimino)m  
 ethoxy]carbonyl]-13-ethenyl-18-ethyl-5-[(hexylamino)carbonyl]-7,8-dihydro-  
 2,8,12,17-tetramethyl-, methyl ester, (7S,8S) - (9CI)  
 MF C53 H71 N7 O5

Absolute stereochemistry.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

Absolute stereochemistry.  
Double bond geometry unknown.




Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-  
b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-18-  
[[ (hexylamino) carbonyl] imino] -1,16,18,20-tetrahydro-6,11,15,22-tetramethyl-  
20-oxo-, methyl ester, (15S,16S)- (9CI)  
MF C41 H48 N6 O5


Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN L-Aspartic acid, N-[3-[(15S,16S)-19-[2-(1,1-dimethylethoxy)-2-oxoethyl]-10-  
ethenyl-5-ethyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-  
4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
b]azacyclononadecin-16-yl]-1-oxopropyl]-, bis(1,1-dimethylethyl) ester  
(9CI)  
MF C51 H64 N6 O9


Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
 b]azacyclonadecine-16-propanoic acid, 5-ethyl-10-[1-(heptyloxy)ethyl]-19-  
 hexyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-, methyl  
 ester, (15S,16S)- (9CI)  
 MF C47 H63 N5 O5

Absolute stereochemistry.  
 Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 1-Hexanol (9CI)


MF C6 H14 O  
CI COM

HO- (CH<sub>2</sub>)<sub>5</sub>-Me

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 21H,23H-Porphine-7-propanoic acid, 5-carboxy-13-ethenyl-18-ethyl-3-  
[(hexylamino)carbonyl]-7,8-dihydro-2,8,12,17-tetramethyl-,  $\alpha$ -methyl  
ester, (7S,8S)- (9CI)  
MF C40 H49 N5 O5


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-  
b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-1,16,18,20-  
tetrahydro-6,11,15,22-tetramethyl-20-oxo-18-[(1-oxoheptyl)imino]-, methyl  
ester, (15S,16S)- (9CI)  
MF C41 H47 N5 O5


Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 21H,23H-Porphine-7-propanoic acid, 13-acetyl-3-carboxy-18-ethyl-5-  
 [(hexylamino)carbonyl]-7,8,17,18-tetrahydro-2,8,12,17-tetramethyl-,  
 α-propyl ester, [7S-(7α,8β,17β,18α)]- (9CI)  
 MF C42 H55 N5 O6


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-  
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-1,5,6,15,16,18-  
 hexahydro-6,11,15,22-tetramethyl-20-oxo-18-(propylimino)-, propyl ester,  
 (5R,6R,15S,16S)- (9CI)  
 MF C39 H47 N5 O5


Absolute stereochemistry.  
 Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
 b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-19-  
 [(hexylamino)carbonyl]-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-  
 dioxo-, methyl ester, (15S,16S) - (9CI)  
 MF C41 H48 N6 O5

Absolute stereochemistry.  
 Double bond geometry unknown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
 b]azacyclononadecine-16-propanoic acid, 16,18,19,20-tetrahydro-5-ethyl-10-  
 (1-methoxyethyl)-6,11,15,22-tetramethyl-18,20-dioxo-19-propyl-, methyl  
 ester, (15S,16S) - (9CI)

MF C38 H45 N5 O5


Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-16,18,19,20-  
tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-propyl-, methyl ester,  
(15S,16S) - (9CI)  
MF C37 H41 N5 O4

Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 1-Heptanol (9CI)  
 MF C7 H16 O  
 CI COM

Me-(CH<sub>2</sub>)<sub>6</sub>-OH

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 21H,23H-Porphine-7-propanoic acid, 3-carboxy-13-ethenyl-18-ethyl-5-  
 [(hexylamino)carbonyl]-7,8-dihydro-2,8,12,17-tetramethyl-,  $\alpha$ -methyl  
 ester, (7S,8S)- (9CI)  
 MF C40 H49 N5 O5


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-  
 b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-1,16,18,20-  
 tetrahydro-6,11,15,22-tetramethyl-18-oxo-20-[(1-oxoheptyl)imino]-, methyl  
 ester, (15S,16S)- (9CI)  
 MF C41 H47 N5 O5


Absolute stereochemistry.  
 Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 21H,23H-Porphine-7-propanoic acid, 13-acetyl-5-carboxy-18-ethyl-3-  
 [(hexylamino)carbonyl]-7,8,17,18-tetrahydro-2,8,12,17-tetramethyl-,  
 α-propyl ester, [7S-(7α,8β,17β,18α)]- (9CI)  
 MF C42 H55 N5 O6


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-  
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-1,5,6,15,16,18-  
 hexahydro-6,11,15,22-tetramethyl-18-oxo-20-(propylimino)-, propyl ester,  
 [5R-(5R\*,6R\*,15S\*,16S\*)]- (9CI)  
 MF C39 H47 N5 O5


Absolute stereochemistry.  
 Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-  
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-20-(pentylimino)-  
 1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-18-oxo-, propyl ester,  
 (5R,6R,15S,16S) - (9CI)  
 MF C41 H51 N5 O5


Absolute stereochemistry.  
 Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
 b]azacyclononadecine-16-propanoic acid, 5-ethyl-16,18,19,20-tetrahydro-  
 6,11,15,22-tetramethyl-18,20-dioxo-10-(1-propoxyethyl)-19-propyl-, methyl  
 ester, (15S,16S) - (9CI)  
 MF C40 H49 N5 O5

Absolute stereochemistry.  
 Double bond geometry unknown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Methanol (8CI, 9CI)  
 MF C H4 O  
 CI COM

H<sub>3</sub>C—OH

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN Cyclohexanamine, N,N'-methanetetraylbis- (9CI)  
 MF C13 H22 N2  
 CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-20-(hexylimino)-1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-18-oxo-, propyl ester, (5R,6R,15S,16S) - (9CI)  
 MF C42 H53 N5 O5


Absolute stereochemistry.  
 Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
 b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-16,18,19,20-  
 tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-(1-oxoheptyl)-, methyl  
 ester, [15S-(15R\*,16R\*)]- (9CI)  
 MF C41 H47 N5 O5


Absolute stereochemistry.  
 Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 21H,23H-Porphine-7-propanoic acid, 13-acetyl-3-  
 [[[cyclohexylamino)(cyclohexylimino)methoxy]carbonyl]-18-ethyl-5-  
 [(hexylamino)carbonyl]-7,8,17,18-tetrahydro-2,8,12,17-tetramethyl-, propyl  
 ester, [7S-(7 $\alpha$ ,8 $\beta$ ,17 $\beta$ ,18 $\alpha$ )]- (9CI)  
 MF C55 H77 N7 O6


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-  
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-18-(decylimino)-5-ethyl-  
 1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-20-oxo-, propyl ester,  
 (5R,6R,15S,16S) - (9CI)  
 MF C46 H61 N5 O5

Absolute stereochemistry.  
 Double bond geometry unknown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-

b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-19-hexyl-  
16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-, methyl ester,  
(15S,16S) - (9CI)

MF C40 H47 N5 O4


Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
b]azacyclononadecine-16-propanoic acid, 5-ethyl-19-hexyl-16,18,19,20-  
tetrahydro-10-(1-methoxyethyl)-6,10,15,22-tetramethyl-18,20-dioxo-, methyl  
ester, (15S,16S) - (9CI)  
MF C41 H51 N5 O5

Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 1-Propanol (9CI)  
MF C3 H8 O  
CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 3-Phorbinepropanoic acid, 9-ethenyl-14-ethyl-21-(methoxycarbonyl)-  
4,8,13,18-tetramethyl-20-oxo-, methyl ester, (3S,4S,21R)- (9CI)  
MF C36 H38 N4 O5  
CI COM


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-  
b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-18-(hexylimino)-  
1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-20-oxo-, propyl ester,  
(5R,6R,15S,16S)- (9CI)  
MF C42 H53 N5 O5


Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN L-Aspartic acid, N-[3-[(15S,16S)-10-ethenyl-5-ethyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-(1-oxoheptyl)-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecin-16-yl]-1-oxopropyl]-, dimethyl ester (9CI)  
 MF C46 H54 N6 O8

Absolute stereochemistry.  
 Double bond geometry unknown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 21H,23H-Porphine-7-propanoic acid, 13-acetyl-5-[[[(cyclohexylamino)(cyclohexylimino)methoxy]carbonyl]-18-ethyl-3-

[(hexylamino) carbonyl]-7,8,17,18-tetrahydro-2,8,12,17-tetramethyl-, propyl ester, [7S-(7 $\alpha$ ,8 $\beta$ ,17 $\beta$ ,18 $\alpha$ )]- (9CI)  
 MF C55 H77 N7 O6


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-acetyl-20-(decylimino)-5-ethyl-1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-18-oxo-, propyl ester, (5R,6R,15S,16S)- (9CI)  
 MF C46 H61 N5 O5

Absolute stereochemistry.  
 Double bond geometry unknown.




\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN L-Aspartic acid, N-[3-[(15S,16S)-10-ethenyl-5-ethyl-19-hexyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecin-16-yl]-1-

oxopropyl]-, dimethyl ester (9CI)  
MF C45 H54 N6 O7


Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-  
b]azacyclononadecine-16-propanoic acid, 5-ethyl-19-hexyl-16,18,19,20-  
tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-10-(1-propoxyethyl)-, methyl  
ester, (15S,16S)- (9CI)  
MF C43 H55 N5 O5

Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 1-Propanamine (9CI)  
MF C3 H9 N  
CI COM



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-1,16,18,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-, methyl ester, (15S,16S)-(9CI)  
MF C34 H34 N4 O5


Absolute stereochemistry. Rotation (+).



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 21H,23H-Porphine-7-propanoic acid, 5-[[[(cyclohexylamino)(cyclohexylimino)methoxy]carbonyl]-13-ethenyl-18-ethyl-3-[(hexylamino)carbonyl]-7,8-dihydro-2,8,12,17-tetramethyl-, methyl ester, (7S,8S)-(9CI)  
MF C53 H71 N7 O5


Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN L-Aspartic acid, N-[3-[(15S,16S)-10-ethenyl-5-ethyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-(1-oxoheptyl)-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecin-16-yl]-1-oxopropyl]-, bis(1,1-dimethylethyl) ester (9CI)  
 MF C52 H66 N6 O8


Absolute stereochemistry.  
 Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-18-(heptylimino)-1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-20-oxo-, propyl ester, (5R,6R,15S,16S)- (9CI)  
 MF C43 H55 N5 O5


Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-  
b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-20-  
[[ (hexylamino) carbonyl] imino] -1,16,18,20-tetrahydro-6,11,15,22-tetramethyl-  
18-oxo-, methyl ester, (15S,16S) - (9CI)  
MF C41 H48 N6 O5

Absolute stereochemistry.  
Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN L-Aspartic acid, N-[3-[(15S,16S)-10-ethenyl-5-ethyl-19-hexyl-16,18,19,20-

tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecin-16-yl]-1-oxopropyl]-, bis(1,1-dimethylethyl) ester (9CI)

MF C51 H66 N6 O7

Absolute stereochemistry.

Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecine-16-propanoic acid, 5-ethyl-10-[1-(hexyloxy)ethyl]-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-propyl-, methyl ester, (15S,16S)- (9CI)

MF C43 H55 N5 O5

Absolute stereochemistry.

Double bond geometry unknown.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN  
IN 1-Hexanamine (9CI)  
MF C6 H15 N  
CI COM

$\text{H}_2\text{N}-(\text{CH}_2)_5-\text{Me}$

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

ALL ANSWERS HAVE BEEN SCANNED